



Všestranné a úsporné LED osvetlenie

ClearWay gen2

Svietidlo ClearWay gen2 umožňuje využívať výhody LED technológie hneď od začiatku. Táto nová druhá generácia svietidla stavia na kvalite svojich predchodcov a jej cieľom je ďalej znížiť celkové náklady na vlastníctvo. ClearWay gen2 v porovnaní s konvenčným osvetlením výrazne zefektívňuje tie najdôležitejšie aspekty osvetlenia ciest a ulíc. Je ideálne pre nové ulice a na renováciu existujúcich montáží. Tento cenovo dostupný produktový rad spája čisté a vysokokvalitné svetlo s výraznou úsporou energie a údržby. ClearWay gen2 skrátka znamená výbornú kvalitu svetla so všetkými pridanými hodnotami technológie LED – úspory energie a dlhá životnosť. Hoci ponúka viac výhod, je zabalený v tenšom a ľahšom dizajne, vďaka čomu sa ľahšie montuje.

Výhody

- Všetky výhody zabalené do jedinej architektúry svietidla
- Jednoduchá montáž
- Nízke počiatkové náklady
- Prijateľné celkové náklady na vlastníctvo
- Jednoduché svietidlo je jedinečne identifikovateľné vďaka servisnému štítku Philips

Vlastnosti

- Jeden dizajn svietidla, ale rôzne parametre v závislosti od potrieb daného použitia
- Kompaktný a účinný dizajn
- Úprava náklonu bez nutnosti otvoriť kryt

Aplikácie

- Cestné komunikácie v obci
- Cyklotrasy a chodníky
- Vedľajšie cesty

Špecifikácia

ClearWay gen2

Teplota okolia	-40 až +50 °C
Rozptyl svetelného lúča svietidla	152° - 25° x 66°, 154° - 31° x 54°, 160° - 42° x 54°, 42° x 44°
Hlavná farba svietidla	Hliník, Šedá
Zapojenie	Zástrčný konektor (Zástrčný konektor)
Stmievanie	Nie, Áno
Napájač	Power supply unit with DynaDimmer (PSDD) Power supply unit regulating (PSR) Power supply unit (PSU)
Počiatočná účinnosť LED svietidla	114, 116, 119, 122, 124, 125, 127, 133, 134, 137, 138, 140, 141, 142, 143, 144, 146, 148, 152 lm/W
Počiatočný svetelný tok	10200 lm, 10920 lm, 1584 lm, 2175 lm, 2610 lm, 2670 lm, 3080 lm, 3115 lm, 3520 lm, 3560 lm, 3960 lm, 4005 lm, 4698 lm, 4752 lm, 6020 lm, 6160 lm, 6972 lm, 7308 lm, 8600 lm, 9460 lm
Vstupná frekvencia	50 až 60 Hz

Vstupné napätie	220 to 240 V
Farba svetelného zdroja	740 neutrálna biela
Vymeniteľný svetelný zdroj	Áno
Materiál	Teleso: hliníkový odliatok
Optika	No - Distribution medium, extra široké vyžarovanie 10, stredné vyžarovanie 11, stredné vyžarovanie 50
Ochrana pred prepätím	Philips standard surge protection level, Úroveň ochrany svietidla pred prepätím až do 6kV diferenciálny režim a6kV bežný režim
Teleso s uhlom sklonu	Štandardný uhol sklonu od vrchu stĺpa: 0°Štandardný uhol sklonu od bočného otvoru: 0°
Typ	BGP307

Versions



ClearWay gen2 - LED Module 2500 lm



ClearWay gen2 - LED module 1800 lm

Podmienky použitia

Maximálna úroveň stmievania Nepoužíva sa

Schválenie a použitie

Kód krytia IP (mechanický náraz) IK08

Všeobecné informácie

Značka CE CE mark
 Farba svetelného zdroja 740 neutrálna
 biela
 Vratane napájača Áno
 Značka horľavosti NO
 Vymeniteľný svetelný zdroj Áno
 Počet jednotiek predradníka 1 unit
 Kód radu produktov BGP307

Počiatočný výkon (súlad s požiadavkami IEC)

Poč. náhradná teplota chromatickosti 4000 K
 Poč. index podania farieb 70

Svetelné technické

Štandardný uhol sklonu od bočného otvoru 0°
 Štandardný uhol sklonu od vrchu stĺpa 0°
 Pomer svetla vyžarovaného nahor 0

-

Order Code	Full Product Name	Poruchovosť napájača pri 5 000 h
98773500	BGP307 LED30/740 I DM 48/60S	0,5 %
98774200	BGP307 LED35/740 I DM 48/60S	0,5 %
98775900	BGP307 LED40/740 I DM 48/60S	0,5 %
98776600	BGP307 LED45/740 I DM 48/60S	0,5 %
98777300	BGP307 LED54/740 I DM 48/60S	0,5 %
98778000	BGP307 LED69/740 I DM 48/60S	0,5 %
98779700	BGP307 LED84/740 I DM 48/60S	0,5 %
98780300	BGP307 LED99/740 I DM 48/60S	0,5 %
98781000	BGP307 LED109/740 I DM 48/60S	0,5 %
98785800	BGP307 LED30/740 II DM 48/60S	0,5 %
98786500	BGP307 LED35/740 II DM 48/60S	0,5 %
98787200	BGP307 LED40/740 II DM 48/60S	0,5 %
98788900	BGP307 LED45/740 II DM 48/60S	0,5 %
98789600	BGP307 LED54/740 II DM 48/60S	0,5 %
98790200	BGP307 LED69/740 II DM 48/60S	0,5 %
98791900	BGP307 LED84/740 II DM 48/60S	0,5 %
98792600	BGP307 LED99/740 II DM 48/60S	0,5 %
98793300	BGP307 LED109/740 II DM 48/60S	0,5 %
44818900	BGP307 LED130-4S/740 I DM11 DDF2 D18 48/	0,5 %
98795700	BGP307 LED18-4S/740 I DM50 48/60S	0,5 %
98796400	BGP307 LED25-4S/740 I DM50 48/60S	0,5 %
98797100	BGP307 LED30-4S/740 I DM50 48/60S	0,5 %
98798800	BGP307 LED35-4S/740 I DM50 48/60S	0,5 %
98799500	BGP307 LED40-4S/740 I DM50 48/60S	0,5 %
98800800	BGP307 LED45-4S/740 I DM50 48/60S	0,5 %
98801500	BGP307 LED54-4S/740 I DM50 48/60S	0,5 %
98802200	BGP307 LED69-4S/740 I DM50 48/60S	0,5 %
98803900	BGP307 LED84-4S/740 I DM50 48/60S	0,5 %
98804600	BGP307 LED99-4S/740 I DM50 48/60S	0,5 %
98805300	BGP307 LED109-4S/740 I DM50 48/60S	0,5 %
98806000	BGP307 LED120-4S/740 I DM50 48/60S	0,5 %
98697400	BGP307 LED18-4S/740 II DM50 48/60S	0,5 %
98698100	BGP307 LED25-4S/740 II DM50 48/60S	0,5 %
98699800	BGP307 LED30-4S/740 II DM50 48/60S	0,5 %
98700100	BGP307 LED35-4S/740 II DM50 48/60S	0,5 %
98701800	BGP307 LED40-4S/740 II DM50 48/60S	0,5 %
98702500	BGP307 LED45-4S/740 II DM50 48/60A	0,5 %
98703200	BGP307 LED54-4S/740 II DM50 48/60S	0,5 %
98704900	BGP307 LED69-4S/740 II DM50 48/60S	0,5 %
98705600	BGP307 LED84-4S/740 II DM50 48/60S	0,5 %
98706300	BGP307 LED99-4S/740 II DM50 48/60S	0,5 %
98707000	BGP307 LED109-4S/740 II DM50 48/60S	0,5 %
98708700	BGP307 LED120-4S/740 II DM50 48/60S	0,5 %
99632400	BGP307 LED120-4S/740 I DM11 48/76S	0,5 %
11999400	BGP307 LED84-4S/740 II DX10 BL1 D11 48/7	-

Schválenie a použitie

Order Code	Full Product Name	Ochrana pred prepätím (bežný/ diferenciálny režim)
98773500	BGP307 LED30/740 I DM 48/60S	Philips standard surge protection level kV
98774200	BGP307 LED35/740 I DM 48/60S	Philips standard surge protection level kV
98775900	BGP307 LED40/740 I DM 48/60S	Philips standard surge protection level kV
98776600	BGP307 LED45/740 I DM 48/60S	Philips standard surge protection level kV
98777300	BGP307 LED54/740 I DM 48/60S	Philips standard surge protection level kV
98778000	BGP307 LED69/740 I DM 48/60S	Philips standard surge protection level kV
98779700	BGP307 LED84/740 I DM 48/60S	Philips standard surge protection level kV
98780300	BGP307 LED99/740 I DM 48/60S	Philips standard surge protection level kV
98781000	BGP307 LED109/740 I DM 48/60S	Philips standard surge protection level kV
98785800	BGP307 LED30/740 II DM 48/60S	Philips standard surge protection level kV
98786500	BGP307 LED35/740 II DM 48/60S	Philips standard surge protection level kV
98787200	BGP307 LED40/740 II DM 48/60S	Philips standard surge protection level kV
98788900	BGP307 LED45/740 II DM 48/60S	Philips standard surge protection level kV
98789600	BGP307 LED54/740 II DM 48/60S	Philips standard surge protection level kV
98790200	BGP307 LED69/740 II DM 48/60S	Philips standard surge protection level kV
98791900	BGP307 LED84/740 II DM 48/60S	Philips standard surge protection level kV
98792600	BGP307 LED99/740 II DM 48/60S	Philips standard surge protection level kV
98793300	BGP307 LED109/740 II DM 48/60S	Philips standard surge protection level kV
44818900	BGP307 LED130-4S/740 I DM11 DDF2 D18 48/	Úroveň ochrany svetidla pred prepätím až do 6 kV diferenciálny režim a 6 kV bežný režim
98795700	BGP307 LED18-4S/740 I DM50 48/60S	Philips standard surge protection level kV
98796400	BGP307 LED25-4S/740 I DM50 48/60S	Philips standard surge protection level kV
98797100	BGP307 LED30-4S/740 I DM50 48/60S	Philips standard surge protection level kV
98798800	BGP307 LED35-4S/740 I DM50 48/60S	Philips standard surge protection level kV

Order Code	Full Product Name	Ochrana pred prepätím (bežný/ diferenciálny režim)
98799500	BGP307 LED40-4S/740 I DM50 48/60S	Philips standard surge protection level kV
98800800	BGP307 LED45-4S/740 I DM50 48/60S	Philips standard surge protection level kV
98801500	BGP307 LED54-4S/740 I DM50 48/60S	Philips standard surge protection level kV
98802200	BGP307 LED69-4S/740 I DM50 48/60S	Philips standard surge protection level kV
98803900	BGP307 LED84-4S/740 I DM50 48/60S	Philips standard surge protection level kV
98804600	BGP307 LED99-4S/740 I DM50 48/60S	Philips standard surge protection level kV
98805300	BGP307 LED109-4S/740 I DM50 48/60S	Philips standard surge protection level kV
98806000	BGP307 LED120-4S/740 I DM50 48/60S	Philips standard surge protection level kV
98697400	BGP307 LED18-4S/740 II DM50 48/60S	Philips standard surge protection level kV
98698100	BGP307 LED25-4S/740 II DM50 48/60S	Philips standard surge protection level kV
98699800	BGP307 LED30-4S/740 II DM50 48/60S	Philips standard surge protection level kV
98700100	BGP307 LED35-4S/740 II DM50 48/60S	Philips standard surge protection level kV
98701800	BGP307 LED40-4S/740 II DM50 48/60S	Philips standard surge protection level kV
98702500	BGP307 LED45-4S/740 II DM50 48/60A	Philips standard surge protection level kV
98703200	BGP307 LED54-4S/740 II DM50 48/60S	Philips standard surge protection level kV
98704900	BGP307 LED69-4S/740 II DM50 48/60S	Philips standard surge protection level kV
98705600	BGP307 LED84-4S/740 II DM50 48/60S	Philips standard surge protection level kV
98706300	BGP307 LED99-4S/740 II DM50 48/60S	Philips standard surge protection level kV
98707000	BGP307 LED109-4S/740 II DM50 48/60S	Philips standard surge protection level kV
98708700	BGP307 LED120-4S/740 II DM50 48/60S	Philips standard surge protection level kV
99632400	BGP307 LED120-4S/740 I DM11 48/76S	Philips standard surge protection level kV
11999400	BGP307 LED84-4S/740 II DX10 BL1 D11 48/7	Philips standard surge protection level kV

Ovládanie a stmievanie

Order Code	Full Product Name	Stmievateľné
98773500	BGP307 LED30/740 I DM 48/60S	Nie
98774200	BGP307 LED35/740 I DM 48/60S	Nie
98775900	BGP307 LED40/740 I DM 48/60S	Nie
98776600	BGP307 LED45/740 I DM 48/60S	Nie
98777300	BGP307 LED54/740 I DM 48/60S	Nie
98778000	BGP307 LED69/740 I DM 48/60S	Nie
98779700	BGP307 LED84/740 I DM 48/60S	Nie
98780300	BGP307 LED99/740 I DM 48/60S	Nie
98781000	BGP307 LED109/740 I DM 48/60S	Nie
98785800	BGP307 LED30/740 II DM 48/60S	Nie
98786500	BGP307 LED35/740 II DM 48/60S	Nie
98787200	BGP307 LED40/740 II DM 48/60S	Nie
98788900	BGP307 LED45/740 II DM 48/60S	Nie
98789600	BGP307 LED54/740 II DM 48/60S	Nie
98790200	BGP307 LED69/740 II DM 48/60S	Nie
98791900	BGP307 LED84/740 II DM 48/60S	Nie
98792600	BGP307 LED99/740 II DM 48/60S	Nie
98793300	BGP307 LED109/740 II DM 48/60S	Nie
44818900	BGP307 LED130-4S/740 I DM11 DDF2 D18 48/	Áno
98795700	BGP307 LED18-4S/740 I DM50 48/60S	Nie
98796400	BGP307 LED25-4S/740 I DM50 48/60S	Nie
98797100	BGP307 LED30-4S/740 I DM50 48/60S	Nie
98798800	BGP307 LED35-4S/740 I DM50 48/60S	Nie

Order Code	Full Product Name	Stmievateľné
98799500	BGP307 LED40-4S/740 I DM50 48/60S	Nie
98800800	BGP307 LED45-4S/740 I DM50 48/60S	Nie
98801500	BGP307 LED54-4S/740 I DM50 48/60S	Nie
98802200	BGP307 LED69-4S/740 I DM50 48/60S	Nie
98803900	BGP307 LED84-4S/740 I DM50 48/60S	Nie
98804600	BGP307 LED99-4S/740 I DM50 48/60S	Nie
98805300	BGP307 LED109-4S/740 I DM50 48/60S	Nie
98806000	BGP307 LED120-4S/740 I DM50 48/60S	Nie
98697400	BGP307 LED18-4S/740 II DM50 48/60S	Nie
98698100	BGP307 LED25-4S/740 II DM50 48/60S	Nie
98699800	BGP307 LED30-4S/740 II DM50 48/60S	Nie
98700100	BGP307 LED35-4S/740 II DM50 48/60S	Nie
98701800	BGP307 LED40-4S/740 II DM50 48/60S	Nie
98702500	BGP307 LED45-4S/740 II DM50 48/60A	Nie
98703200	BGP307 LED54-4S/740 II DM50 48/60S	Nie
98704900	BGP307 LED69-4S/740 II DM50 48/60S	Nie
98705600	BGP307 LED84-4S/740 II DM50 48/60S	Nie
98706300	BGP307 LED99-4S/740 II DM50 48/60S	Nie
98707000	BGP307 LED109-4S/740 II DM50 48/60S	Nie
98708700	BGP307 LED120-4S/740 II DM50 48/60S	Nie
99632400	BGP307 LED120-4S/740 I DM11 48/76S	Nie
11999400	BGP307 LED84-4S/740 II DX10 BL1 D11 48/7	Nie

Všeobecné informácie (1/2)

Order Code	Full Product Name	Rozptyl svetelného lúča svietidla	Typ		
			optického krytu/ šošovky	Kód radu svetelného zdroja	Verzia svetelného zdroja
98773500	BGP307 LED30/740 I DM 48/60S	42° x 44°	FG	LED30	-
98774200	BGP307 LED35/740 I DM 48/60S	42° x 44°	FG	LED35	-
98775900	BGP307 LED40/740 I DM 48/60S	42° x 44°	FG	LED40	-
98776600	BGP307 LED45/740 I DM 48/60S	42° x 44°	FG	LED45	-
98777300	BGP307 LED54/740 I DM 48/60S	42° x 44°	FG	LED54	-
98778000	BGP307 LED69/740 I DM 48/60S	42° x 44°	FG	LED69	-
98779700	BGP307 LED84/740 I DM 48/60S	42° x 44°	FG	LED84	-

Order Code	Full Product Name	Rozptyl svetelného lúča svietidla	Typ		
			optického krytu/ šošovky	Kód radu svetelného zdroja	Verzia svetelného zdroja
98780300	BGP307 LED99/740 I DM 48/60S	42° x 44°	FG	LED99	-
98781000	BGP307 LED109/740 I DM 48/60S	42° x 44°	-	LED109	-
98785800	BGP307 LED30/740 II DM 48/60S	42° x 44°	FG	LED30	-
98786500	BGP307 LED35/740 II DM 48/60S	42° x 44°	FG	LED35	-
98787200	BGP307 LED40/740 II DM 48/60S	42° x 44°	FG	LED40	-
98788900	BGP307 LED45/740 II DM 48/60S	42° x 44°	FG	LED45	-
98789600	BGP307 LED54/740 II DM 48/60S	42° x 44°	FG	LED54	-

Order Code	Full Product Name	Rozptyl svetelného lúča svietidla	Typ optického krytu/ šošovky	Kód radu svetelného zdroja	Verzia svetelného zdroja
98790200	BGP307 LED69/740 II DM 48/60S	42° x 44°	FG	LED69	-
98791900	BGP307 LED84/740 II DM 48/60S	42° x 44°	FG	LED84	-
98792600	BGP307 LED99/740 II DM 48/60S	42° x 44°	FG	LED99	-
98793300	BGP307 LED109/740 II DM 48/60S	42° x 44°	-	LED109	-
44818900	BGP307 LED130-4S/740 I DM11 DDF2 D18 48/	160° - 42° x 54°	FG	LED130	4S
98795700	BGP307 LED18-4S/740 I DM50 48/60S	154° - 31° x 54°	FG	LED18	-
98796400	BGP307 LED25-4S/740 I DM50 48/60S	154° - 31° x 54°	FG	LED25	-
98797100	BGP307 LED30-4S/740 I DM50 48/60S	154° - 31° x 54°	FG	LED30	-
98798800	BGP307 LED35-4S/740 I DM50 48/60S	154° - 31° x 54°	FG	LED35	-
98799500	BGP307 LED40-4S/740 I DM50 48/60S	154° - 31° x 54°	FG	LED40	-
98800800	BGP307 LED45-4S/740 I DM50 48/60S	154° - 31° x 54°	FG	LED45	-
98801500	BGP307 LED54-4S/740 I DM50 48/60S	154° - 31° x 54°	FG	LED54	-
98802200	BGP307 LED69-4S/740 I DM50 48/60S	154° - 31° x 54°	FG	LED69	-
98803900	BGP307 LED84-4S/740 I DM50 48/60S	154° - 31° x 54°	FG	LED84	-
98804600	BGP307 LED99-4S/740 I DM50 48/60S	154° - 31° x 54°	FG	LED99	-
98805300	BGP307 LED109-4S/740 I DM50 48/60S	154° - 31° x 54°	-	LED109	-

Order Code	Full Product Name	Rozptyl svetelného lúča svietidla	Typ optického krytu/ šošovky	Kód radu svetelného zdroja	Verzia svetelného zdroja
98806000	BGP307 LED120-4S/740 I DM50 48/60S	154° - 31° x 54°	FG	LED120	-
98697400	BGP307 LED18-4S/740 II DM50 48/60S	154° - 31° x 54°	FG	LED18	-
98698100	BGP307 LED25-4S/740 II DM50 48/60S	154° - 31° x 54°	FG	LED25	-
98699800	BGP307 LED30-4S/740 II DM50 48/60S	154° - 31° x 54°	FG	LED30	-
98700100	BGP307 LED35-4S/740 II DM50 48/60S	154° - 31° x 54°	FG	LED35	-
98701800	BGP307 LED40-4S/740 II DM50 48/60S	154° - 31° x 54°	FG	LED40	4S
98702500	BGP307 LED45-4S/740 II DM50 48/60A	154° - 31° x 54°	FG	LED45	-
98703200	BGP307 LED54-4S/740 II DM50 48/60S	154° - 31° x 54°	FG	LED54	-
98704900	BGP307 LED69-4S/740 II DM50 48/60S	154° - 31° x 54°	FG	LED69	-
98705600	BGP307 LED84-4S/740 II DM50 48/60S	154° - 31° x 54°	FG	LED84	-
98706300	BGP307 LED99-4S/740 II DM50 48/60S	154° - 31° x 54°	FG	LED99	-
98707000	BGP307 LED109-4S/740 II DM50 48/60S	154° - 31° x 54°	-	LED109	-
98708700	BGP307 LED120-4S/740 II DM50 48/60S	154° - 31° x 54°	FG	LED120	-
99632400	BGP307 LED120-4S/740 I DM11 48/76S	160° - 42° x 54°	FG	LED120	-
11999400	BGP307 LED84-4S/740 II DX10 BL1 D11 48/7	152° - 25° x 66°	FG	LED84	-

Všeobecné informácie (2/2)

Order Code	Full Product Name	Typ optiky	Optický prvok
98773500	BGP307 LED30/740 I DM 48/60S	Distribution medium	-
98774200	BGP307 LED35/740 I DM 48/60S	Distribution medium	-
98775900	BGP307 LED40/740 I DM 48/60S	Distribution medium	-
98776600	BGP307 LED45/740 I DM 48/60S	Distribution medium	-
98777300	BGP307 LED54/740 I DM 48/60S	Distribution medium	-
98778000	BGP307 LED69/740 I DM 48/60S	Distribution medium	-
98779700	BGP307 LED84/740 I DM 48/60S	Distribution medium	-
98780300	BGP307 LED99/740 I DM 48/60S	Distribution medium	-
98781000	BGP307 LED109/740 I DM 48/60S	Distribution medium	No
98785800	BGP307 LED30/740 II DM 48/60S	Distribution medium	-
98786500	BGP307 LED35/740 II DM 48/60S	Distribution medium	-
98787200	BGP307 LED40/740 II DM 48/60S	Distribution medium	-
98788900	BGP307 LED45/740 II DM 48/60S	Distribution medium	-
98789600	BGP307 LED54/740 II DM 48/60S	Distribution medium	-
98790200	BGP307 LED69/740 II DM 48/60S	Distribution medium	-
98791900	BGP307 LED84/740 II DM 48/60S	Distribution medium	-
98792600	BGP307 LED99/740 II DM 48/60S	Distribution medium	-
98793300	BGP307 LED109/740 II DM 48/60S	Distribution medium	VD
44818900	BGP307 LED130-4S/740 I DM11 DDF2 D18 48/	Stredné vyžarovanie 11	-
98795700	BGP307 LED18-4S/740 I DM50 48/60S	Stredné vyžarovanie 50	-
98796400	BGP307 LED25-4S/740 I DM50 48/60S	Stredné vyžarovanie 50	-
98797100	BGP307 LED30-4S/740 I DM50 48/60S	Stredné vyžarovanie 50	-
98798800	BGP307 LED35-4S/740 I DM50 48/60S	Stredné vyžarovanie 50	-
98799500	BGP307 LED40-4S/740 I DM50 48/60S	Stredné vyžarovanie 50	-
98800800	BGP307 LED45-4S/740 I DM50 48/60S	Stredné vyžarovanie 50	-
98801500	BGP307 LED54-4S/740 I DM50 48/60S	Stredné vyžarovanie 50	-
98802200	BGP307 LED69-4S/740 I DM50 48/60S	Stredné vyžarovanie 50	-

Order Code	Full Product Name	Typ optiky	Optický prvok
98803900	BGP307 LED84-4S/740 I DM50 48/60S	Stredné vyžarovanie 50	-
98804600	BGP307 LED99-4S/740 I DM50 48/60S	Stredné vyžarovanie 50	-
98805300	BGP307 LED109-4S/740 I DM50 48/60S	Stredné vyžarovanie 50	DF
98806000	BGP307 LED120-4S/740 I DM50 48/60S	Stredné vyžarovanie 50	-
98697400	BGP307 LED18-4S/740 II DM50 48/60S	Stredné vyžarovanie 50	-
98698100	BGP307 LED25-4S/740 II DM50 48/60S	Stredné vyžarovanie 50	-
98699800	BGP307 LED30-4S/740 II DM50 48/60S	Stredné vyžarovanie 50	-
98700100	BGP307 LED35-4S/740 II DM50 48/60S	Stredné vyžarovanie 50	-
98701800	BGP307 LED40-4S/740 II DM50 48/60S	Stredné vyžarovanie 50	-
98702500	BGP307 LED45-4S/740 II DM50 48/60A	Stredné vyžarovanie 50	-
98703200	BGP307 LED54-4S/740 II DM50 48/60S	Stredné vyžarovanie 50	-
98704900	BGP307 LED69-4S/740 II DM50 48/60S	Stredné vyžarovanie 50	-
98705600	BGP307 LED84-4S/740 II DM50 48/60S	Stredné vyžarovanie 50	-
98706300	BGP307 LED99-4S/740 II DM50 48/60S	Stredné vyžarovanie 50	-
98707000	BGP307 LED109-4S/740 II DM50 48/60S	Stredné vyžarovanie 50	-
98708700	BGP307 LED120-4S/740 II DM50 48/60S	Stredné vyžarovanie 50	-
99632400	BGP307 LED120-4S/740 I DM11 48/76S	Stredné vyžarovanie 11	DIA
11999400	BGP307 LED84-4S/740 II DX10 BL1 D11 48/7	Extra široké vyžarovanie 10	-

Počiatkový výkon (súlady s požiadavkami IEC)

Order Code	Full Product Name	Počiatkový svetelný tok
98773500	BGP307 LED30/740 I DM 48/60S	2670 lm
98774200	BGP307 LED35/740 I DM 48/60S	3115 lm
98775900	BGP307 LED40/740 I DM 48/60S	3560 lm
98776600	BGP307 LED45/740 I DM 48/60S	4005 lm
98777300	BGP307 LED54/740 I DM 48/60S	4752 lm
98778000	BGP307 LED69/740 I DM 48/60S	6020 lm
98779700	BGP307 LED84/740 I DM 48/60S	7308 lm
98780300	BGP307 LED99/740 I DM 48/60S	8600 lm
98781000	BGP307 LED109/740 I DM 48/60S	9460 lm

Order Code	Full Product Name	Počiatkový svetelný tok
98785800	BGP307 LED30/740 II DM 48/60S	2670 lm
98786500	BGP307 LED35/740 II DM 48/60S	3115 lm
98787200	BGP307 LED40/740 II DM 48/60S	3560 lm
98788900	BGP307 LED45/740 II DM 48/60S	4005 lm
98789600	BGP307 LED54/740 II DM 48/60S	4752 lm
98790200	BGP307 LED69/740 II DM 48/60S	6020 lm
98791900	BGP307 LED84/740 II DM 48/60S	7308 lm
98792600	BGP307 LED99/740 II DM 48/60S	8600 lm
98793300	BGP307 LED109/740 II DM 48/60S	9460 lm

Order Code	Full Product Name	Počiatkový svetelný tok
44818900	BGP307 LED130-4S/740 I DM11 DDF2 D18 48/	10920 lm
98795700	BGP307 LED18-4S/740 I DM50 48/60S	1584 lm
98796400	BGP307 LED25-4S/740 I DM50 48/60S	2175 lm
98797100	BGP307 LED30-4S/740 I DM50 48/60S	2610 lm
98798800	BGP307 LED35-4S/740 I DM50 48/60S	3080 lm
98799500	BGP307 LED40-4S/740 I DM50 48/60S	3520 lm
98800800	BGP307 LED45-4S/740 I DM50 48/60S	3960 lm
98801500	BGP307 LED54-4S/740 I DM50 48/60S	4698 lm
98802200	BGP307 LED69-4S/740 I DM50 48/60S	6160 lm
98803900	BGP307 LED84-4S/740 I DM50 48/60S	7308 lm
98804600	BGP307 LED99-4S/740 I DM50 48/60S	8600 lm
98805300	BGP307 LED109-4S/740 I DM50 48/60S	9460 lm
98806000	BGP307 LED120-4S/740 I DM50 48/60S	10200 lm
98697400	BGP307 LED18-4S/740 II DM50 48/60S	1584 lm

Order Code	Full Product Name	Počiatkový svetelný tok
98698100	BGP307 LED25-4S/740 II DM50 48/60S	2175 lm
98699800	BGP307 LED30-4S/740 II DM50 48/60S	2610 lm
98700100	BGP307 LED35-4S/740 II DM50 48/60S	3080 lm
98701800	BGP307 LED40-4S/740 II DM50 48/60S	3520 lm
98702500	BGP307 LED45-4S/740 II DM50 48/60A	3960 lm
98703200	BGP307 LED54-4S/740 II DM50 48/60S	4698 lm
98704900	BGP307 LED69-4S/740 II DM50 48/60S	6160 lm
98705600	BGP307 LED84-4S/740 II DM50 48/60S	7308 lm
98706300	BGP307 LED99-4S/740 II DM50 48/60S	8600 lm
98707000	BGP307 LED109-4S/740 II DM50 48/60S	9460 lm
98708700	BGP307 LED120-4S/740 II DM50 48/60S	10200 lm
99632400	BGP307 LED120-4S/740 I DM11 48/76S	10200 lm
11999400	BGP307 LED84-4S/740 II DX10 BL1 D11 48/7	6972 lm

Mechanické časti a teleso

Order Code	Full Product Name	Farba
98773500	BGP307 LED30/740 I DM 48/60S	Šedá
98774200	BGP307 LED35/740 I DM 48/60S	Šedá
98775900	BGP307 LED40/740 I DM 48/60S	Šedá
98776600	BGP307 LED45/740 I DM 48/60S	Šedá
98777300	BGP307 LED54/740 I DM 48/60S	Šedá
98778000	BGP307 LED69/740 I DM 48/60S	Šedá
98779700	BGP307 LED84/740 I DM 48/60S	Šedá
98780300	BGP307 LED99/740 I DM 48/60S	Šedá
98781000	BGP307 LED109/740 I DM 48/60S	Šedá
98785800	BGP307 LED30/740 II DM 48/60S	Šedá
98786500	BGP307 LED35/740 II DM 48/60S	Šedá
98787200	BGP307 LED40/740 II DM 48/60S	Šedá
98788900	BGP307 LED45/740 II DM 48/60S	Šedá
98789600	BGP307 LED54/740 II DM 48/60S	Šedá
98790200	BGP307 LED69/740 II DM 48/60S	Šedá
98791900	BGP307 LED84/740 II DM 48/60S	Šedá
98792600	BGP307 LED99/740 II DM 48/60S	Šedá
98793300	BGP307 LED109/740 II DM 48/60S	Šedá
44818900	BGP307 LED130-4S/740 I DM11 DDF2 D18 48/	Hliník
98795700	BGP307 LED18-4S/740 I DM50 48/60S	Šedá
98796400	BGP307 LED25-4S/740 I DM50 48/60S	Šedá
98797100	BGP307 LED30-4S/740 I DM50 48/60S	Šedá
98798800	BGP307 LED35-4S/740 I DM50 48/60S	Šedá

Order Code	Full Product Name	Farba
98799500	BGP307 LED40-4S/740 I DM50 48/60S	Šedá
98800800	BGP307 LED45-4S/740 I DM50 48/60S	Šedá
98801500	BGP307 LED54-4S/740 I DM50 48/60S	Šedá
98802200	BGP307 LED69-4S/740 I DM50 48/60S	Šedá
98803900	BGP307 LED84-4S/740 I DM50 48/60S	Šedá
98804600	BGP307 LED99-4S/740 I DM50 48/60S	Šedá
98805300	BGP307 LED109-4S/740 I DM50 48/60S	Šedá
98806000	BGP307 LED120-4S/740 I DM50 48/60S	Šedá
98697400	BGP307 LED18-4S/740 II DM50 48/60S	Šedá
98698100	BGP307 LED25-4S/740 II DM50 48/60S	Šedá
98699800	BGP307 LED30-4S/740 II DM50 48/60S	Šedá
98700100	BGP307 LED35-4S/740 II DM50 48/60S	Šedá
98701800	BGP307 LED40-4S/740 II DM50 48/60S	Šedá
98702500	BGP307 LED45-4S/740 II DM50 48/60A	Šedá
98703200	BGP307 LED54-4S/740 II DM50 48/60S	Šedá
98704900	BGP307 LED69-4S/740 II DM50 48/60S	Šedá
98705600	BGP307 LED84-4S/740 II DM50 48/60S	Šedá
98706300	BGP307 LED99-4S/740 II DM50 48/60S	Šedá
98707000	BGP307 LED109-4S/740 II DM50 48/60S	Šedá
98708700	BGP307 LED120-4S/740 II DM50 48/60S	Šedá
99632400	BGP307 LED120-4S/740 I DM11 48/76S	Šedá
11999400	BGP307 LED84-4S/740 II DX10 BL1 D11 48/7	Šedá

